

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	907126	power near12 supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 10:52
S2	3259	S1 same (operating near3 point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 14:49
S3	639	S2 same (curve or graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 14:50
S4	69	S3 same efficien\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 14:50
S5	104	S3 same (efficien\$2 or optim\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:19
S6	2	("3866433").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/12 15:19
S8	113081	(primary or first) near12 power near12 supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:20
S10	68069	S8 same ((secondary or second) near12 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:21
S11	285	S10 same (operating near12 point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:21
S12	64	S11 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:33
S13	2688	(operating or efficient) with point with power with supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/13 12:06
S14	462	S13 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:33
S15	288	S14 and ((primary or first) with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:34
S16	257	S15 and ((secondary or second) with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:34
S17	176	S16 and @ad < "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:37

S18	129	S17 and (power near12 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 15:37
S19	9	efficient near12 operating near12 point with power with (supply or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/13 12:08
S20	51	operating near12 point with power with (supply or source) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/13 13:01
S21	16	(determin\$3 or chos\$3 or find\$3 or obtain\$3) with (optim\$2 or efficient) with operating with point with power with (supply or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/13 12:14
S22	2	("20030217299").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/13 13:01
S24	910099	power near12 supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/27 11:35
S25	766	S24 same ((determin\$3 or obtain\$3) near10 (efficient or optimum or optimal) near12 power near12 (point or supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/27 11:35
S26	62	S25 same (second\$3 near12 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/27 11:36
S27	47	S26 and @ad < "20030729"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/27 11:36
S28	2	("20030141049").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 10:53
S29	2	("5878584").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 10:53
S30	2	("5501083").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 10:54
S32	930	load near12 balanc\$3 near12 (power or voltage) with supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 10:55
S33	160	S32 same (second\$3 with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 10:55
S35	39	S33 and (efficient\$2 or optimal or optimum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:21

S36	68	korcharz	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:21
S37	66	S36 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:33
S39	5	PCT/IL03/00832	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:30
S40	0	PCT/IL2003/000832	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:30
S41	0	PCT/IL2003/00832	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:31
S42	1	10/763232	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:31
S43	2	10/750908	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:31
S45	31	"6473608"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:38
S46	2	("6473608").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:40
S47	2	("20030168913").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:41
S48	3	("2001024109").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:41
S49	2	("20010024109").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:43
S50	2	("6438007").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:44
S51	2	("6125448").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:45
S52	2	("6473608").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:45

S53	2	("6438007").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:45
S54	2	("6125448").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 11:46
S55	6815	@ad = "20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:38
S56	1666	S55 and wo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 11:47
S59	113515	(primary or first) near12 power near12 supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:39
S60	68369	S59 same ((secondary or second) near12 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:39
S61	280	S60 same (load with (shar\$3 or balanc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:51
S62	29	S61 and (configur\$3 with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:49
S63	58	S61 and (back\$2 with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:49
S64	155	S61 and @ad < "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:56
S65	1778	S60 and (load with (shar\$3 or balanc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:55
S66	0	S65 and (suppliment\$3 with (first or primary) near10 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:55
S67	72	S65 and ((suppliment\$3 or boost\$3 or add\$3) with (first or primary) near10 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 13:56
S68	49	S67 and @ad < "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:41
S69	1	add\$3 with (second\$3 near10 supply) with (first near12 supply) with (fail or unable or insufficient) with (demand or necessity or consum\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:44

S70	2	(add\$3 or addition or redundant) with (second\$3 near10 supply) with (first near12 supply) with (fail or unable or insufficient) with (demand or necessity or consum\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:45
S71	2	(add\$3 or addition or redundant) with (second\$3 near10 supply) same (first near12 supply) with (fail or unable or insufficient) with (demand or necessity or consum\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:46
S72	5	(add\$3 or addition or redundant) with (second\$3 near10 supply) same (first near12 supply) same (fail or unable or insufficient) same (demand or necessity or consum\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:46
S73	8	(add\$3 or addition or redundant) with (second\$3 near10 supply) same (first near12 supply) same (fail or unable or insufficient or meet) same (demand or necessity or consum\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:47
S74	145	(add\$3 or addition or redundant) same (first near12 supply) same (fail or unable or insufficient or meet) same (demand or necessity or consum\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:51
S75	2	S74 same (secnd\$3 or redundant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:48
S76	1	S74 and ((secnd\$3 or redundant) with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:52
S77	97	S74 and ((second\$3 or redundant) with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:48
S78	108	S74 same (second\$3 or redundant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:48
S79	73	S74 same ((second\$3 or redundant) with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:50
S80	6	S79 and @ad < "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:49
S81	9	S78 and @ad < "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:50
S82	17	S74 and @ad < "20030728"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:50
S83	833	(add\$3 or addition or redundant) with (supply) same (fail or unable or insufficient or meet) same (demand or necessity or consum\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 14:52
S84	39	S83 and ((secnd\$3 or redundant) with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/28 15:26

S85	2	(*5952733*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 15:35
S86	2	(*20010024109*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 15:35
S87	0	(*2001/0024109*).URPN.	USPAT	OR	ON	2005/12/28 15:38
S88	2	(*5845150*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 15:40
S89	2	(*6031298*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 15:40
S90	2	(*5825099*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/28 15:40